


Double head square cardanic trimless downlight from the TROLL family Zas Cardan.**DESCRIPTION**

Double head square cardanic trimless downlight from the TROLL family Zas Cardan optimised to be used as general indoor lighting for offices, hospitals commercial areas or residential & contract spaces. Designed for ceiling recessed installation. Luminaire body made from Lacquered stainless steel sheet with headlights and heat-sinks built in die cast aluminium finished in white. Luminaire sets a ball joint system which allows rotation 355° and tilting 35°. Use a QR-111 lightsource with maximum power of 100 W. Lightsource not included. Luminaire is fed at 12V and needs auxiliary gear.

| | |
|---------------------------|--|
| Item code | 11.0553.0002.53 |
| Product type | IN |
| Category | Recessed Downlights |
| Family | Zas |
| Subfamily | Zas Cardan |
| Materials | Luminaire body made from Lacquered stainless steel sheet with headlights and heat-sinks built in die cast aluminium. |
| Installation instructions | Luminaire designed for ceiling recessed installation. |
| Pictograms |  |

Dimensions

| | |
|-------------------------|------------------|
| Product dimensions (mm) | 342 x 189,5 x 82 |
| Drilling hole (mm) | 320 x 165 |

Product

| | |
|-----------------------------|--------------------|
| Real power (W) | 2 x Max. 100 |
| IP | 20 |
| Electrical class insulation | Class 3 |
| Electrical feeding | 100..240V, 50/60Hz |
| Colour | White |

Control gear

| | |
|--------------|-------------------------|
| Control gear | Electronic Control Gear |
|--------------|-------------------------|

Light source

| | |
|-------------------|--------------------------------|
| Light source | Halogen or retrofit equivalent |
| Lamp holder | G53 |
| Nominal power (W) | 13 |
| Voltage (V) | 12 |
| Lamp | QR111 x 2 |

Accessories

| | |
|------------|---|
| TRE/105/EL | 105W transformer with output at 12VDC from TROLL family standard. |
| TRE/60/EL | 60W transformer with output at 12VDC from TROLL family standard. |