




---

**Dimensions**


---

Product dimensions (mm)	31,5 x 3000 x 32,5
-------------------------	--------------------

---




---

**Scheme**


---

Scheme

---




---

**Product**


---

IP	20
Electrical class insulation	Class 1
Electrical feeding	110..240V, 50/60Hz
Colour	Black

---



---

**Control gear**


---



---

**Accessories**


---

2400/04	End cover.
---------	------------

---



---

**Picture**


---




---

**Scheme**


---




---

2401D/01/04

---

**DALI Left feeder**


---



---

**Surface DALI PULSE track L: 3000mm**


---

**DESCRIPTION**

Electrified DALI PULSE track of 3 m. of the TROLL three-phase family. Designed for wall or ceiling surface mounted as well as hanging. Body made of extruded aluminium setting copper wires imbibed in PVC profile and finished in black.

Item code	2420D/300/04
Product type	IN
Category	Tracklights
Family	Tracks
Subfamily	Trifásico

Pictograms



Picture



Scheme



2401D/02/04

DALI Right feeder

Picture



Scheme



2402D/04

DALI Flexible connector.

Picture



---

Scheme



---

2403D/04

DALI continuity connector.

---

Picture



---

Scheme



---

2403D/10/04

Continuity connector with DALI connection.


---

Picture



---

Scheme



---

2407D/01/04

DALI connector "T" Left with possibility of connection.

Picture




2407D/02/04

DALI "T" connector Right with possibility of connection.

Picture



Scheme



2407D/03/04

DALI "T" connector Right with possibility of connection.

Picture



2407D/04/04

DALI connector "T" Left with possibility of connection.

Picture



2408D/01/04

DALI connector "L" Left with possibility of connection.

Picture




2408D/02/04

DALI "L" connector Right with possibility of connection.

Picture



Scheme



2409D/04

DALI "+" connector with possibility of connection.

Picture



Scheme



2413/00

Fastening directly to the ceiling.

Picture



Scheme



2417D/04

DALI adapter with cable

Picture



Scheme



2418/33

Support look.

Picture



---

Scheme



---

2431/00

Suspension clamp.

Picture



---

Scheme



---

2432/00


Reinforced suspension clamp.

Picture



---

Scheme



L=182 mm

---


2434/04

Ceiling rose fastening.

Picture



Scheme



2435/00

M6 threaded stem.

Picture



Scheme



L=2000mm

2438/00

M6 nut.

Picture





Scheme



M6

2439/00

M6 adjustment sleeve.

Picture



Scheme



2440/00

Cable suspension.

Picture



Scheme



L=1500mm

2441/00

Bending tool.

Picture



Scheme

