




---

**Dimensions**


---

Product dimensions (mm)	31,5 x 3000 x 32,5
-------------------------	--------------------

---




---

**Scheme**


---

Scheme

---




---

**Product**


---

IP	20
Electrical class insulation	Class 1
Electrical feeding	100..240V, 50/60Hz
Colour	White

---



---

**Control gear**


---



---

**Accessories**


---

2400/33	End cover.
---------	------------

---



---

**Picture**


---




---

**Scheme**


---




---

2401D/01/33

---

DALI Left feeder

---



---

**Surface DALI PULSE track L: 3000mm**


---

**DESCRIPTION**

DALI three-phase electrified track of 3 m. Designed for wall or ceiling surface mounted as well as hanging. Body made of extruded aluminium setting copper wires imbibed in PVC profile and finished in white.

Item code	2420D/300/33
-----------	--------------

Product type	IN
--------------	----

Category	Tracklights
----------	-------------

Family	Tracks
--------	--------

Subfamily	Trifásico
-----------	-----------

Pictograms	
------------	--



---

Picture



---

Scheme



---

2401D/02/33

DALI Right feeder

---

Picture



---

Scheme



---

2402D/33

DALI Flexible connector.


---

Picture



---

Scheme



---

2403D/10/33

Continuity connector with DALI connection.


---

Picture



---

Scheme



---

2403D/33

DALI continuity connector.

---

Picture



---

Scheme



---

2407D/01/33

DALI connector "T" Left with possibility of connection.

Picture




2407D/02/33

DALI "T" connector Right with possibility of connection.

Picture



Scheme



2407D/03/33

DALI "T" connector Right with possibility of connection.

Picture



2407D/04/33

DALI connector "T" Left with possibility of connection.

Picture



2408D/01/33

DALI connector "L" Left with possibility of connection.

Picture




2408D/02/33

DALI "L" connector Right with possibility of connection.

Picture



Scheme




2409D/33

DALI "+" connector with possibility of connection.

Picture



Scheme



2413/00

Fastening directly to the ceiling.

Picture



Scheme



2417D/33

DALI adapter with cable.

Picture



Scheme



2431/00

Suspension clamp.

Picture



Scheme



2432/00

Reinforced suspension clamp.

Picture



Scheme



L=182 mm


2434/33

Ceiling rose fastening.

Picture



Scheme



2435/00

M6 threaded stem.

---

Picture



---

Scheme



L=2000mm

---

2438/00

M6 nut.

---

Picture



---

Scheme



M6

---

2439/00

M6 adjustment sleeve.

---

Picture





Scheme



2440/00

Cable suspension.

Picture



Scheme



L=1500mm

2441/00

Bending tool.

Picture



Scheme

