TRACKS - TRIFÁSICO

Item code 2420D/400/04



Surface DALI PULSE track L: 4000mm

DESCRIPTION

Electrified DALI PULSE track of 4 m. of the TROLL three-phase family. Designed for wall or ceiling surface mounted as well as hanging. Body made of extruded aluminium setting copper wires imbibed in PVC profile and finished in black.

Item code	2420D/400/04	
Product type	IN	
Category	Tracklights	
Family	Tracks	
Subfamily	Trifásico	
Pictograms		





Product dimensions (mm)

31,5 x 4000 x 32,5

Scheme

Scheme



Product

Troudet	
IP	20
Electrical class insulation	Class 1
Electrical feeding	110240V, 50/60Hz
Colour	Black

Control gear

Accesories 2400/04 End cover.

Picture



Scheme

2401D/01/04

DALI Left feeder





Scheme



2401D/02/04 Picture DALI Right feeder



Scheme

66

 2402D/04
 DALI Flexible connector.

 Picture
 Image: Connector connector connector connector.



Scheme

2403D/04

DALI continuity connector.

Picture



Scheme



2403D/10/04	Continuity connector with DALI connection.
Picture	



Scheme



2407D/01/04

DALI connector "T" Left with possibility of connection.

LUXIONA



2407D/02/04

Picture



DALI "T" connector Right with possibility of connection.

Scheme



2407D/03/04	DALI "T" connector Right with possibility of connection.
Picture	

Picture



2407D/04/04	DALI connector "T" Left with possibility
24072704/04	of connection.

Picture



2408D/01/04

DALI connector "L" Left with possibility of connection.

LUXIONA



2408D/02/04	DALI "L" connector Right with possibility of connection.
Picture	



Scheme



2409D/04	DALI "+" connector with possibility of connection.
Picture	



Scheme



2413/00

Fastening directly to the ceiling.

LUXIONA



Scheme



2417D/04 Picture

DALI adapter with cable









Support look.





LUXIONA

www.troll.es www.luxiona.com

tr**●**II*

Scheme



2431/00 Suspension clamp. Picture



Scheme



2432/00	Reinforced suspension clamp.
Picture	



Scheme



L=182 mm

2434/04

Ceiling rose fastening.



Scheme



2435/00 Picture

M6 threaded stem.



Scheme

L=2000mm

2438/00

M6 nut.





Scheme

9 M6

2439/00

M6 adjustment sleeve.

Picture



Scheme



2440/00 Cable suspension.



Scheme

Picture



L=1500mm

2441/00

Bending tool.



Scheme

\$